




CARS Diagnostic Report Prepared for: jh

TABLE OF CONTENTS	
CARS Diagnostic Case Summary	2
Detailed Diagnostic Reports	4
Alcohol Abuse	5
Alcohol Dependence	6
GAD	8
Risk Profile Assessments	9
Regional Referral Information	10
Regional Referral Information Emergency Departments	15

CARS is a screening device and it does not provide a final diagnostic determination. Further evaluation is necessary to determine whether problems reported are sufficient to qualify as a disorder and to determine the level of problem severity.

CARS Assessment Progress

This graphic represents how much of the CARS assessment John has completed.



Alcohol Use	
Seneralized anxiety disorder	
Enhanced Screener	

CARS Diagnostic Case Summary

John is a 55 year-old Asian man. He has met full criteria for 3 co-occurring mental health problems, 2 of them in the past year (see Table 1) and should consider seeking a professional mental health screening (Treatment resources are listed at the end of the report).

Table 1. Mental Health Profile

	Met Criteria	Subclinical Symptoms	Screened into but not tested
Alcohol Abuse	LT		
Alcohol Dependence	PY		
GAD	PY		

PY = Past Year, LT = Lifetime

Did not meet criteria for: PTSD, Substance Abuse, Substance Dependence, Personality Disorders, Major Depressive Disorder, Bipolar I, Bipolar II, Bipolar NOS, Dysthymia, Panic Disorder, Social Phobia, Intermittent Explosive Disorder, Tobacco Use, Gambling, Eating Disorder, Obsessive Compulsive Disorder, Psychosis, ADHD, Conduct Disorder, Oppositional Defiant Disorder

DUI Recidivism Risk Factors

John is at high risk for a DUI. Listed below are some of the factors that create this risk for John.

Other risk factors include:

- Alcohol use disorder
- Anxiety disorder
- Endorsed binge drinking

Based on John's mental health profile, he should consider seeking additional professional screening from the resources listed at the end of the report.

Assessment for Alcohol Abuse Disorder

When people experience a pattern of drinking alcohol that leads to distress, health problems, or affects their ability to function, they might have alcohol abuse. Abusing alcohol can cause problems at work, school, or home. They might have unplanned absences. They might not complete their work. They might neglect responsibilities. People with alcohol abuse might use alcohol in dangerous situations, like driving a car or using heavy machinery. Because of their drinking, some people even have trouble with the law. Drinking might cause them to have arguments or fights with others. When a person continues to use alcohol despite these difficulties in daily life, but does not meet criteria for alcohol dependence, clinicians can diagnose them as having alcohol abuse.

Diagnosis

John's responses to the CARS assessment suggest that he might meet criteria for lifetime alcohol abuse. The current experience of alcohol abuse could impair John's DUI re-offense prevention plan. Those who suffer from alcohol abuse have an elevated risk for DUI re-offense. The regional referral information at the end of the report provides information for additional mental health screening and treatment that could help with John's alcohol abuse symptoms and could reduce the likelihood of DUI re-offense.

Detailed Symptoms

Lifetime

John reported one symptom of alcohol abuse in his lifetime.

Specifically, he reported that:

• his drinking or being hung over frequently interfered with his work or responsibilities at school

Disorder History

John did not answer any questions about his disorder history.

Treatment History

John reported that he had not received professional treatment for his use of alcohol in the past 12 months. John talked to professionals about his problems with alcohol use. He was 20 years old the first time he talked to a professional. John reported that he has attended a group like Alcoholics Anonymous (AA) for help with his use of alcohol. He was 22 years old the first time he attended AA. He attended 1 of these meetings in the past 12 months. John reported 2 close relatives who also had problems with alcohol use.

Assessment for Alcohol Dependence Disorder

When people continue using alcohol even though it causes problems, they might be alcohol dependent. They might need to drink more and more alcohol to get the same effect. Smaller amounts of alcohol might not feel like enough. When they try to stop or cut down their alcohol use, they might experience some distressing or even life-threatening withdrawal symptoms. This withdrawal syndrome can include shakiness; sweating; racing heartbeat; nausea or vomiting; anxiety; high blood pressure; seizures; hallucinations; or confusion. People with alcohol dependence might spend a great deal of their time and energy trying to obtain alcohol. People with alcohol dependence often find that they cannot stop drinking even though they know it is harming them. When their pattern of drinking affects their ability to function in day-to-day life, clinicians can diagnose them as having an alcohol dependence disorder.

Diagnosis

John's responses to the CARS assessment suggest that he might meet criteria for current alcohol dependence. The current experience of alcohol dependence could impair John's DUI re-offense prevention plan. Those who suffer from alcohol dependence have an elevated risk for DUI re-offense. The regional referral information at the end of the report provides information for additional mental health screening and treatment that could help with John's alcohol dependence symptoms and could reduce the likelihood of DUI re-offense.

Detailed Symptoms

Past Year

John reported multiple symptoms of alcohol dependence in the past 12 months.

Specifically, he reported that:

- he needed to drink a larger amount of alcohol to get an effect or could not longer get a "buzz" on the amount he used to drink
- he tried to stop or cut down on his drinking and found that he was not able to do so
- he had times when he took a drink to keep from having problems like these
- he had times when he started drinking and became drunk when he didn't want to
- there was a time when he gave up or greatly reduced important activities because of his drinking

Lifetime

John reported multiple symptoms of alcohol dependence in his lifetime.

Specifically, he reported that:

- he stopped or cut down on his alcohol use and then experienced withdrawal symptoms
- he drank a lot more than intended or started drinking even though he promised himself he wouldn't

These symptoms lasted 3 years and caused John significant distress and impairment.

Quit Attempts

John reported that he had not made a serious attempt to quit drinking in the past 12 months.

Disorder History				
Age at first episode of symptoms:	21			
Most recent episode of symptoms:	More than 6 months ago			
Years with continuing symptoms:	3			
Age at first episode of 3 or more symptoms in a 12-month period:				
	23			
Most recent episode of 3 or more symptoms in a 12-month period:				
	Within the past 30 days			
Years with 3 or more continuing symptoms in a 12-month period:				
	3			

Treatment History

John reported that he had not received professional treatment for his use of alcohol in the past 12 months. John talked to professionals about his problems with alcohol use. He was 20 years old the first time he talked to a professional. John reported that he has attended a group like Alcoholics Anonymous (AA) for help with his use of alcohol. He was 22 years old the first time he attended AA. He attended 1 of these meetings in the past 12 months. John reported 2 close relatives who also had problems with alcohol use.

Assessment for Generalized Anxiety Disorder

People with Generalized Anxiety Disorder (GAD) experience a lot of worry about day-to-day life. They worry minor issues will turn into major disasters. For example, they might over worry about being late. These worries can affect their work or personal lives. People with GAD might be restless, or easily tired. They might have problems with sleep or concentrating on things. They might be irritable and tense. When these symptoms last longer than 6 months and affect a person's ability to function in day-to-day life, clinicians can diagnose them with GAD.

Diagnosis

John's responses to the CARS assessment suggest that he might meet criteria for past year Generalized Anxiety Disorder.

The current experience of Generalized Anxiety Disorder could impair John's DUI re-offense prevention plan.

Those who suffer from Generalized Anxiety Disorder have an elevated risk for DUI re-offense. The regional referral information at the end of the report provides information for additional mental health screening and treatment that could help with John's anxiety symptoms and reduce the likelihood of DUI re-offense. **Detailed Symptoms**

Past Year

He reported that he was concerned about everything and nothing in particular.

John reported that he found it difficult to control his nervousness or anxiety.

He reported that he:

- often felt restless
- often got tired easily
- was often more irritable than usual
- often had difficulty concentrating or keeping his mind on what he was doing
- often had tense
- had trouble falling or staying asleep

He reported that his nervousness or anxiety occured as the result of a physical cause.

Disorder History

Age at first anxiety episode:

15

Most recent anxiety episode:

More than 6 months ago

Treatment History

John reported that he had not received professional treatment for his anxiety or worry in the past 12 months. John has talked to professionals about his anxiety or worry. He was 17 years old the first time he talked to a professional. John reported 2 close relative(s) who also had problems with alcohol use.

Detailed Risk Assessment

Biopsychosocial Risk Assessment


There are a number of biopsychosocial factors that relate both to poor mental health and to risk for DUI recidivism. Notably, John has reported a family history of other mental health problems. Specifically John's family members may have symptoms of: • Alcohol use

Anxiety

DUI Recidivism Risk Assessment

A recidivism risk assessment is a way to identify the potential for future harm. This kind of assessment does not predict the harmful outcome with certainty. The following is our assessment of John's likelihood of future DUI if he does not change his behavior to reduce his risks. John can change to reduce his risks for additional DUI offenses.

Anyone who drinks and drives is committing a DUI offense. Committing a DUI offense increases your likelihood of future DUI offenses. Individuals who experience mental health problems such as depression and anxiety, have a criminal history, report other traffic violations, or who often engage in risky patterns of drinking and/or driving, such as binge drinking or driving recklessly, also are at risk for repeating DUI offense. Based on John's reported history, he is at high risk for additional DUI offenses.



Referrals

John had a positive screen for 3 mental health conditions. Further assessment is needed to confirm whether he qualifies for these disorders. Based on John's assessment and the zip code provided (01776), referrals to the 5 closest resources for additional substance use and/or mental health screening and treatment are listed below. In addition to these options, John also might consider utilizing other relapse and recovery resources, such as Alcoholics Anonymous or online recovery and recidivism prevention programs.

Substance Use and Mental Health Services

Advocates Community Counseling

354 Waverly St, Framingham, MA 01702 (508) 661-2020

http://www.advocatesinc.org/

-			
Types:			
Residential	N/A		
Outpatient	Yes		
Detoxification	N/A		
Emergency Services	N/A		
Transitional	N/A		
ent Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	N/A
al Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
alization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Disabilitites	N/A	Opiates	N/A
Additional Specialities	Dischilitions basis in items	; substance abuse; major	montol

Other languages spoken:N/AAdditional languagesN/A

Client: John	Gender: Male	Age: 55
Public Transportation	Yes	
Transportation Type	MBTA Framingham/Worcester Line- Framingham	

Acadia Behavioral Health Associates

463 Worcester Rd, Framingham, MA 01701 (508) 665-5900

http://www.acadiabehavioralhealth.com/

ypes:			
Residential	N/A		
Outpatient	Yes		
Detoxification	No		
Emergency Services	N/A		
Transitional	N/A		
ent Options:			
Accepts Insurance	Yes		
Medicare	N/A	Medicaid	N/A
Free Program	N/A	Slide Scale	Yes
l Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
lization:			
Trauma	Yes	Anger Management	N/A
Anxiety	Yes	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	Yes
Developmental Disabilitites	Yes	Opiates	N/A

Other languages spoken:

Additional languages

Spanish

Client: John	Gender: Male	Age: 55
Public Transportation		
Transportation Type	N/A	

Genesis Counseling Services Inc

24 Union Ave , Framingham, MA 01702 (508) 620-2992

http://www.genesiscounselingservices.org/

re Types:			
Residential	N/A		
Outpatient	Yes		
Detoxification	N/A		
Emergency Services	N/A		
Transitional	N/A		
yment Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	N/A
ecial Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
ecialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Disabilitites	N/A	Opiates	N/A
Additional Specialities	N/A		
her languages spoken:	N/A		

Client: John	Gender: Male	Age: 55
Public Transportation	Yes	
Transportation Type	MWRTA Bus 7CSat/Rt1/Rt2/Rt3/Rt4/Rt7/Rt7C - Howard St at	

SMOC Behavioral Health Services

300 Howard St, Framingham, MA 01702 (508) 879-2250

http://www.smoc.org/

Care Types:			
Residential	N/A		
Outpatient	Yes		
Detoxification	N/A		
Emergency Services	N/A		
Transitional	N/A		
Payment Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	N/A
Special Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
Specialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Disabilitites	N/A	Opiates	N/A
Additional Specialities	Addiction		
Other languages spoken:	N/A		
Additional languages	N/A		

Client: John	Gender: Male	Age: 55
Public Transportation	Yes	
Transportation Type	MBTA Framingham/Worcester Line- Framingham Station	

Spectrum Health Systems Inc

68 Franklin St., Framingham, MA 01702 (508) 875-5801

http://www.spectrumhealthsystems.org

re Types:			
Residential	Yes		
Outpatient	Yes		
Detoxification	N/A		
Emergency Services	N/A		
Transitional	N/A		
yment Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	N/A
ecial Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
ecialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Disabilitites	N/A	Opiates	N/A
Additional Specialities	Addiction and mental hea	alth	
her languages spoken:	N/A		

N/A

Client: John	Gender: Male	Age: 55
Public Transportation	Yes	
Transportation Type	MWRTA Bus Rt7 - Franklin & Proctor St	

Referrals Emergency Departments

These are local resources that can provide immediate intervention in crisis situations. In case of life-threatening emergency, always dial 911.

Emergency Departments

Marlborough Hospital

56-58 Framingham Rd, Marlborough, MA 01752 (508) 486-5544

http://www.jri.org/

Care Types:			
Residential	Yes		
Outpatient	Yes		
Detoxification	N/A		
Emergency Services	Yes		
Transitional	N/A		
Payment Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	Yes
Special Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A

Client: John	Gender: Male		Age: 55
Specialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issue	es N/A	Mood Disorders	N/A
Developmental I	Disabilitites N/A	Opiates	N/A
Additional Speci	alities Inpatient/ acute	psychiatric services, partial prog	ram

Other languages spoken:		
Additional languages	N/A	
Public Transportation	No	
Transportation Type	N/A	

Riverside Emergency Services

255 Highland Ave, Needham, MA 02494 (888) 851-2451

http://www.riversidetraumacenter.org/

Care Types:				
Residential	N/A			
Outpatient	N/A			
Detoxification	N/A			
Emergency Services	Yes			
Transitional	N/A			
Payment Options:				
Accepts Insurance	Yes			
Medicare	Yes	Medicaid	Yes	
Free Program	N/A	Slide Scale	N/A	
Special Population:				
Adult	Yes	Youth	N/A	

Client: John	Gender: Male		Age: 55	
Family Only	N/A	Homeless Only	N/A	
Specialization:				
Trauma	N/A	Anger Management	N/A	
Anxiety	N/A	Cognitive	N/A	
Behavioral issues	N/A	Mood Disorders	N/A	
Developmental Disal	bilitites N/A	Opiates	N/A	
Additional Specialitie	es Mobile crisis un	it		
Other languages spoken:	N/A			
Additional languages	s N/A			
Public Transportation	Yes			
Transportation Type	Needham Shutt	tle - Sheraton		

Bournewood Hospital

300 South St, Chestnut Hill, MA 02467 (617) 469-0300x309

http://www.bournewood.com/programs-and-services.php

Residential	N/A		
Outpatient	N/A		
Detoxification	N/A		
Emergency Services	Yes		
Transitional	N/A		
yment Options:			
Accepts Insurance	Yes		
Medicare	Yes	Medicaid	Yes
Free Program	N/A	Slide Scale	N/A

Client: John	Gender: Male		Age: 55
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
Specialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Disabi	ilitites N/A	Opiates	N/A
Additional Specialities	Acute inpatient p	rogram	
Other languages spoken:	N/A		
Additional languages	N/A		
Public Transportation	Yes		
Transportation Type	MBTA Bus 51- G	rove St & South St	

Clinton Hospital

201 Highland St, Clinton, MA 01510 (978) 368-3000

http://www.umassmemorial.org/clinton-hospital

Care Types:				
Residential	N/A			
Outpatient	N/A			
Detoxification	N/A			
Emergency Services	Yes			
Transitional	N/A			
Payment Options:				
Accepts Insurance	Yes			
Medicare	N/A	Medicaid	N/A	
Free Program	N/A	Slide Scale	N/A	

Client: John	Gender: Male		Age: 55
Special Population:			
Adult	Yes	Youth	N/A
Family Only	N/A	Homeless Only	N/A
Specialization:			
Trauma	N/A	Anger Management	N/A
Anxiety	N/A	Cognitive	N/A
Behavioral issues	N/A	Mood Disorders	N/A
Developmental Dis	abilitites N/A	Opiates	N/A
Additional Specialit	ies N/A		
Other languages spoke	n: N/A		
Additional language	es N/A		
Public Transportation	No		
Transportation Type	N/A		

Arbour Counseling Services

500 West Cummings Park, Woburn, MA 01801 (781) 932-8114

http://www.arbourhealth.com/organizations/arbour-counseling-services/

Care Types:				
Residential	N/A			
Outpatient	Yes			
Detoxification	N/A			
Emergency Services	Yes			
Transitional	N/A			
Payment Options:				
Accepts Insurance	Yes			
Medicare	Yes	Medicaid	Yes	

Client: John G	Gender: Male		Age: 55	
Free Program	N/A	Slide Scale	N/A	
Special Population:				
Adult	Yes	Youth	Yes	
Family Only	N/A	Homeless Only	N/A	
Specialization:				
Trauma	N/A	Anger Management	N/A	
Anxiety	N/A	Cognitive	N/A	
Behavioral issues	N/A	Mood Disorders	N/A	
Developmental Disabilitit	es N/A	Opiates	N/A	
Additional Specialities	Individual/family	Individual/family/couple/group therapy; addiction recovery		
Other languages spoken:	N/A			
Additional languages	N/A			
Public Transportation	Yes			
Transportation Type MBTA Bus 354 - 400 W Cummings Park				